


## Claims

1. A compound of formula (I):



(I)

or a pharmaceutically or veterinarily acceptable salt or solvate thereof, wherein

R<sup>1</sup> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> haloalkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, aryl or -OR<sup>4</sup>, said C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl and aryl being optionally substituted by one or more substituents selected from COOR<sup>13</sup>, -OCOR<sup>12</sup>, -OCOOR<sup>13</sup> and -OCONR<sup>12</sup>R<sup>12</sup> and said C<sub>2</sub>-C<sub>6</sub> alkenyl and C<sub>2</sub>-C<sub>6</sub> alkynyl being optionally substituted by one or more halo;

R<sup>2</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, or a 5- or 6-membered aromatic or non-aromatic heterocycle containing one or more atoms selected from N, O and S, said C<sub>1</sub>-C<sub>6</sub> alkyl being optionally substituted by one or more substituents selected from -NR<sup>5</sup>R<sup>6</sup>, -CONR<sup>5</sup>R<sup>6</sup>, -OR<sup>12</sup>, -OCOR<sup>12</sup>, -OCOOR<sup>12</sup>, -OCONR<sup>12</sup>R<sup>14</sup>, =NOR<sup>7</sup> and halo, said C<sub>2</sub>-C<sub>6</sub> alkenyl being optionally substituted by one or more substituents selected from halo and -COOR<sup>13</sup> and said 5- or 6-membered aromatic heterocycle containing one or more atoms selected from N, O and S being optionally substituted by one or more substituents selected from C<sub>1</sub>-C<sub>6</sub> alkyl and aryl;

R<sup>3</sup> is H, halo, aryl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>7</sub> alkanoyl, or a 5- or 6-membered aromatic heterocycle containing one or more atoms selected from N, O and S;

R<sup>4</sup> is C<sub>1</sub>-C<sub>2</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each optionally substituted by one or more halo, or -OC(O)OR<sup>a</sup> where R<sup>a</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl;

R<sup>5</sup> and R<sup>6</sup>

5

either, when taken together with the nitrogen atom to which they are attached, represent a saturated, partially unsaturated or aromatic, mono-, bi- or tricyclic heterocycle of up to 16 atoms optionally containing 1 or more additional heteroatoms selected from O, N and S, said heterocycle being optionally fused to a benzene or  
10 pyridyl ring and optionally substituted (including the optional benzene or pyridyl ring) by one or more R<sup>8</sup> and optionally substituted (including the optional benzene or pyridyl ring) on any aromatic ring thereof by -NR<sup>15</sup>R<sup>16</sup>, with the proviso that the heterocycle may not contain an -NH- group;

15 or

R<sup>5</sup> and R<sup>6</sup> are each independently selected from H, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -CO-(C<sub>3</sub>-C<sub>8</sub>)cycloalkyl, -COR<sup>10</sup>, C<sub>2</sub>-C<sub>7</sub> alkanoyl, aryl, -OR<sup>13</sup>, -COOR<sup>13</sup>, -CONR<sup>12</sup>R<sup>12</sup> or -SO<sub>2</sub>R<sup>13</sup>, said C<sub>2</sub>-C<sub>7</sub> alkanoyl being optionally substituted by OR<sup>13</sup> or halo, said C<sub>1</sub>-  
20 C<sub>6</sub> alkyl and C<sub>3</sub>-C<sub>8</sub> cycloalkyl being optionally substituted by one or more R<sup>8</sup> and said C<sub>3</sub>-C<sub>8</sub> cycloalkyl being optionally fused to a saturated or unsaturated ring of from 5 to 6 atoms, optionally containing one or more O, N or S atoms, said fused ring being optionally substituted by one or more C<sub>1</sub>-C<sub>6</sub> alkyl with the proviso that when R<sup>5</sup> is H or -CH<sub>3</sub>, R<sup>6</sup> is not C<sub>1</sub>-C<sub>6</sub> alkyl;

25

R<sup>7</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl or aryl, said alkyl being optionally substituted by aryl;

R<sup>8</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, R<sup>9</sup>, R<sup>10</sup>, -OR<sup>9</sup>, -OR<sup>10</sup>, COR<sup>9</sup>, COR<sup>10</sup>, -O-(C<sub>1</sub>-C<sub>6</sub>  
30 alkyl)-R<sup>10</sup>, C<sub>2</sub>-C<sub>6</sub> alkenyl, -OR<sup>13</sup>, -SR<sup>9</sup>, -SR<sup>10</sup>, -SO<sub>2</sub>R<sup>10</sup>, -OCOR<sup>12</sup>, -OCOOR<sup>12</sup>, -OCONR<sup>12</sup>R<sup>13</sup>, -CONR<sup>12</sup>OR<sup>13</sup>, -CONR<sup>12</sup>R<sup>13</sup>, -NR<sup>12</sup>COR<sup>12</sup>, -NR<sup>12</sup>COOR<sup>12</sup>, -NR<sup>12</sup>CONR<sup>12</sup>R<sup>12</sup>, -COOR<sup>13</sup>, -COR<sup>12</sup>, oxo or halo, said C<sub>3</sub>-C<sub>8</sub> cycloalkyl being optionally substituted by aryl, said C<sub>1</sub>-C<sub>6</sub> alkyl being optionally

substituted by one or more substituents selected from C<sub>3</sub>-C<sub>8</sub> cycloalkyl, R<sup>9</sup>, R<sup>10</sup>, -OR<sup>10</sup>, -OR<sup>13</sup>, -SR<sup>9</sup>, -SR<sup>11</sup>, -OCOR<sup>12</sup>, -OCOOR<sup>12</sup>, -OCONR<sup>12</sup>R<sup>12</sup>, -NR<sup>12</sup>COR<sup>12</sup>, -NR<sup>12</sup>COOR<sup>12</sup>, -NR<sup>12</sup>CONR<sup>12</sup>R<sup>12</sup>, -COR<sup>12</sup> or halo, and said C<sub>2</sub>-C<sub>6</sub> alkenyl being optionally substituted by one or more substituents selected from halo or aryl;

5

R<sup>9</sup> is

(a) a 5- or 6-membered aromatic heterocycle containing one or more atom(s) selected from N, O and S and optionally fused to a benzene ring, said aromatic heterocycle  
10 being optionally substituted (including on the optional benzene ring) by one or more substituents selected from C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -OR<sup>13</sup>, -NR<sup>12</sup>R<sup>12</sup>, -CO<sub>2</sub>R<sup>13</sup>, cyano and halo, or

(b) a 4- to 8-membered saturated heterocycle containing one or more atoms selected  
15 from O and S and optionally fused to a benzene ring, said saturated heterocycle being optionally substituted (including on the optional benzene ring) by one or more substituents selected from C<sub>1</sub>-C<sub>6</sub> alkyl and C<sub>3</sub>-C<sub>8</sub> cycloalkyl;

R<sup>10</sup> is aryl optionally substituted by one or more substituents selected from C<sub>1</sub>-C<sub>6</sub>  
20 alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, -OR<sup>13</sup>, -NR<sup>12</sup>R<sup>12</sup>, -CO<sub>2</sub>R<sup>13</sup>, cyano or halo and optionally fused to a saturated or unsaturated ring of 5 or 6 atoms, optionally containing one or more O, N or S atoms, said fused ring being optionally substituted by one or more C<sub>1</sub>-C<sub>6</sub> alkyl;

25 R<sup>11</sup> is H, C<sub>1</sub>-C<sub>6</sub> alkyl or C<sub>3</sub>-C<sub>8</sub> cycloalkyl;

each R<sup>12</sup> is independently H, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl or aryl, said C<sub>1</sub>-C<sub>6</sub> alkyl being optionally substituted by aryl;

30 each R<sup>13</sup> is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl or aryl, said C<sub>1</sub>-C<sub>6</sub> alkyl being optionally substituted by aryl;

R<sup>14</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl or aryl, said C<sub>1</sub>-C<sub>6</sub> alkyl each optionally substituted by aryl or -NHaryl;

R<sup>15</sup> and R<sup>16</sup> are either each independently selected from H, C<sub>1</sub>-C<sub>6</sub> alkyl and C<sub>3</sub>-C<sub>8</sub> cycloalkyl or, when taken together with the nitrogen atom to which they are attached,  
5 represent a 3- to 8-membered ring optionally containing one or more additional heteroatoms selected from O and S; and

'aryl' means phenyl or naphthyl;

10

with the proviso that when R<sup>3</sup> is H and R<sup>1</sup> is methyl, R<sup>2</sup> is not isopropenyl.

2. A compound as claimed in claim 1, wherein:

15

R<sup>1</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkenyl, C<sub>1</sub>-C<sub>4</sub> alkynyl, OC<sub>1</sub>-C<sub>6</sub> alkyl, OC<sub>1</sub>-C<sub>4</sub> alkenyl or OC<sub>1</sub>-C<sub>4</sub> alkynyl; and

20

R<sup>2</sup> is a thiazole ring optionally substituted with C<sub>1</sub> to C<sub>4</sub> alkyl; a piperazine ring optionally substituted with C<sub>1</sub> to C<sub>4</sub> alkyl; an isopropenyl group optionally substituted by halo; or an isopropyl group optionally substituted by one or more halo; NR<sup>7</sup>R<sup>8</sup> wherein R<sup>7</sup> and R<sup>8</sup> may be taken together to represent a ring of up to 7 atoms optionally containing oxygen or may be independently selected from H or C<sub>1</sub> to C<sub>4</sub> cycloalkyl; =NOR<sup>17</sup> wherein R<sup>17</sup> may be selected from C<sub>1</sub> to C<sub>6</sub>, C<sub>1</sub> to C<sub>4</sub> alkynyl or C<sub>1</sub> to C<sub>4</sub>  
25 alkenyl;

25

3. A compound as claimed in claim 2, wherein:

R<sup>1</sup> is CH<sub>3</sub>, -O-allyl or -O-propargyl;

30

R<sup>2</sup> is 2-ethylthiazol-4-yl, isopropyl, piperazinyl, 1,2-difluoropropen-2-yl, 1-oxoprop-2-yl methyl oxime, 1-oxoprop-2-yl propargyl oxime, 1-

oxoprop-2-yl allyl oxime, 1-N-morpholinoprop-2-yl, 1-fluoroprop-2-yl, 1,1-difluoroprop-2-yl;

$R^3$ ,  $R^4$  and  $R^5$  are H;

5

4. A compound as claimed in claim 1, wherein  $R^3$ ,  $R^4$ , and  $R^5$  all are H, and  $R^1$  and  $R^2$  are as indicated below:

R1 =	R2 =
CH <sub>3</sub>	2-Ethylthiazol-4-yl, isopropyl
CH <sub>3</sub>	1,2-difluoropropen-2-yl
CH <sub>3</sub>	1-oxoprop-2-yl methyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl propargyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl allyl oxime
CH <sub>3</sub>	isopropyl
CH <sub>3</sub>	1-N-morpholinoprop-2-yl
CH <sub>3</sub>	1-fluoroprop-2-yl
CH <sub>3</sub>	1,1-difluoroprop-2-yl
CH <sub>3</sub>	piperazin-1-yl (optionally 4-substituted with C <sub>1</sub> -C <sub>6</sub> alkyl, phenyl, benzyl each of which groups may optionally be halo-substituted by up to 3 halo atoms
Opropargyl	isopropenyl
Opropargyl	isopropyl
Oallyl	isopropyl

10

5. A compound as claimed in claim 2, wherein  $R^3$ ,  $R^4$ , and  $R^5$  all are H, and  $R^1$  and  $R^2$  are as indicated below:

R1 =	R2 =
CH <sub>3</sub>	2-Ethylthiazol-4-yl, isopropyl

CH <sub>3</sub>	1,2-difluoropropen-2-yl
CH <sub>3</sub>	1-oxoprop-2-yl methyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl propargyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl allyl oxime
CH <sub>3</sub>	isopropyl
CH <sub>3</sub>	1-N-morpholinoprop-2-yl
CH <sub>3</sub>	1-fluoroprop-2-yl
CH <sub>3</sub>	1,1-difluoroprop-2-yl
CH <sub>3</sub>	piperazin-1-yl (optionally 4-substituted with C <sub>1</sub> -C <sub>6</sub> alkyl, phenyl, benzyl each of which groups may optionally be halo-substituted by up to 3 halo atoms
Opropargyl	isopropenyl
Opropargyl	isopropyl
Oallyl	isopropyl

6. A compound as claimed in claim 3, wherein R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> all are H, and R<sup>1</sup> and R<sup>2</sup> are as indicated below:

R <sup>1</sup> =	R <sup>2</sup> =
CH <sub>3</sub>	2-Ethylthiazol-4-yl, isopropyl
CH <sub>3</sub>	1,2-difluoropropen-2-yl
CH <sub>3</sub>	1-oxoprop-2-yl methyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl propargyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl allyl oxime
CH <sub>3</sub>	isopropyl
CH <sub>3</sub>	1-N-morpholinoprop-2-yl
CH <sub>3</sub>	1-fluoroprop-2-yl
CH <sub>3</sub>	1,1-difluoroprop-2-yl
CH <sub>3</sub>	piperazin-1-yl (optionally 4-

	substituted with C <sub>1</sub> -C <sub>6</sub> alkyl, phenyl, benzyl each of which groups may optionally be halo-substituted by up to 3 halo atoms
Opropargyl	isopropenyl
Opropargyl	isopropyl
Oallyl	isopropyl

7. A compound as claimed in claim 1, wherein R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> all are H, or CH<sub>3</sub> and R<sup>1</sup> and R<sup>2</sup> are as indicated below:

5

R <sup>1</sup> =	R <sup>2</sup> =
CH <sub>3</sub>	2-Ethylthiazol-4-yl, isopropyl
CH <sub>3</sub>	1,2-difluoropropen-2-yl
CH <sub>3</sub>	1-oxoprop-2-yl methyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl propargyl oxime
CH <sub>3</sub>	1-oxoprop-2-yl allyl oxime
CH <sub>3</sub>	isopropyl
CH <sub>3</sub>	1-N-morpholinoprop-2-yl
CH <sub>3</sub>	1-fluoroprop-2-yl
CH <sub>3</sub>	1,1-difluoroprop-2-yl
CH <sub>3</sub>	piperazin-1-yl (optionally 4-substituted with C <sub>1</sub> -C <sub>6</sub> alkyl, phenyl, benzyl each of which groups may optionally be halo-substituted by up to 3 halo atoms)
Opropargyl	isopropenyl
Opropargyl	isopropyl
Oallyl	isopropyl

8. A pharmaceutical composition comprising a compound of formula (I) as defined in claim 1 or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate of either entity, together with a pharmaceutically acceptable diluent or carrier, which may be adapted for topical administration.

5

9. A pharmaceutical parasitocidal composition of claim 8 comprising a compound of formula (I) as defined in claim 1 or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate of either entity, together with a pharmaceutically acceptable diluent or carrier, which may be adapted for topical administration.

10

10. A formulation as claimed in claim 8 in the form of a formulation suitable for oral administration by capsule, bolus, tablet or drench, topical administration as a pour-on, spot-on, dip, spray, mousse, shampoo or powder formulation or, by injection (e.g. subcutaneously, intramuscularly or intravenously), or as an implant, or the compounds may be administered with the animal feedstuff and for this purpose a concentrated feed additive or premix may be prepared for mixing with the normal animal feed.

15

11. A compound of formula (I) as defined in claim 1, or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate of either entity, or a pharmaceutical composition for use as a medicament.

20

12. The use of a compound of formula (I) as defined in claim 1, or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate of either entity, or a pharmaceutical composition containing any of the foregoing, for the manufacture of a medicament for the treatment of a parasitic infestation.

25

13. A method of treating a parasitic infestation in a animal which comprises treating said animal with an effective amount of a compound of formula (I) as defined in claim 1, or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate of either entity, or a pharmaceutical composition containing any of the foregoing.

30



14. A method of treating a parasitic infestation in a human of claim 13 which comprises treating said human with an effective amount of a compound of formula (I) as defined in claim 1, or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate of either entity, or a pharmaceutical composition containing any of the foregoing.

5

15. A veterinary or agricultural formulation comprising a compound of formula (I) as defined in claim 1, or a veterinarily or agriculturally acceptable salt thereof, or a veterinarily or agriculturally acceptable solvate of either entity, together with a veterinarily or agriculturally acceptable diluent or carrier. Preferably, the formulation is adapted for topical administration.

10

16. A compound of formula (I) as defined in claims 1, or a veterinarily or agriculturally acceptable salt thereof, or a veterinarily or agriculturally acceptable solvate of either entity, or a veterinarily or agriculturally acceptable formulation for use as a parasiticide.

15

17. A method of treating a parasitic infestation at a locus, which comprises treatment of the locus with an effective amount of a compound of formula (I) as defined in claim 1, or a veterinarily or agriculturally acceptable salt thereof, or a veterinarily or agriculturally acceptable solvate of either entity, or a veterinarily or agriculturally acceptable formulation containing any of the foregoing.

20

18. A method as claimed in claim 17, wherein the locus is the intestine, skin or fur of an animal.

25

19. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-2-[(2-methylpropanoyl)oxy]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(hexanoyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2-(acetyloxy)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-methylpropanoyl)oxy]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-[(cyclopropylcarbonyl)oxy]-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-[(prop-2-ynyloxy)carbonyl]oxy}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-[(2,2,2-trichloroethyl)oxy]carbonyl}oxy)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-2-[(1-methylethenyl)oxy]carbonyl}oxy)-5-(1-methylethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-[(prop-2-ynyloxy)carbonyl]oxy}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-1-({[(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazin-2-yl]carbonyl}oxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-2-yl methyl butanedioate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-2-(pent-4-enoyloxy)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-naphthalen-1-ylamino)ethyl]amino}carbonyloxyethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-[(acetyloxy)acetyl]oxy-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(formyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-2-[(3,3,3-trifluoropropanoyl)oxy]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[4-(ethyloxy)-1-methyl-4-oxobut-2-enyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-(2,2-difluoro-1-methylethenyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2-fluoro-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[(1-methyl-2-morpholin-4-ylethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

- (1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-(2-ethyl-1,3-thiazol-4-yl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2,2-difluoro-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydro pyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2,2-difluoro-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydro pyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-(2,2-dichloro-1-methylethenyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydro pyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(phenylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(2-chlorophenyl)methyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(furan-2-ylmethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{[(2-methylphenyl)methyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{[(1S)-1-phenylethyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(3-chlorophenyl)methyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-({[2-(methyloxy)phenyl]methyl}amino)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-pyridin-2-ylpiperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{bis[2-(methyloxy)ethyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-thien-2-ylethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-({[4-(trifluoromethyl)phenyl]methyl}amino)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(2-{[2-(methyloxy)phenyl]oxy}ethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{(1-methylethyl)[2-(phenylsulfonyl)ethyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2,3-dihydro-1,4-benzodioxin-2-ylmethyl)(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-{[2-(methyloxy)phenyl]methyl}piperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(1,1-dimethylethyl)piperidin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(phenylmethyl)oxy]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[7,8-bis(methyloxy)-3,4-dihydroisoquinolin-2(1H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(methyl{[4-(methyloxy)phenyl]methyl}amino)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(ethyloxy)carbonyl]-1,4-diazepan-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(phenylmethyl)-1,4-diazepan-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-5-{2-[acetyl(ethyl)amino]-1-methylethyl}-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-5-{2-[acetyl(cyclopropyl)amino]-1-methylethyl}-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{cyclopropyl[(methyloxy)carbonyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{ethyl[(methyloxy)carbonyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(2,5-dichlorophenyl)methyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(3,5-dichlorophenyl)methyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{cyclopropyl[(ethylamino)carbonyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(phenylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(phenylmethyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

xxx

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-pyrimidin-2-ylpiperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[2-(phenyloxy)ethyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-thiomorpholin-4-ylethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[cyclohexyl(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(pyridin-2-ylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3,6-dihydropyridin-1(2H)-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-  
 {[phenyl(pyridin-3-yl)methyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(2-  
 phenylethyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(1,3-benzodioxol-5-ylmethyl)piperazin-1-  
 yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-  
 (methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-{[(4-chlorophenyl)methyl]oxy}piperidin-  
 1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-  
 yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[2-  
 (methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(furan-2-ylmethyl)piperidin-1-yl]-1-  
 methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(3-  
 methylphenyl)methyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2,2-dimethylpropanoyl)(ethyl)amino]-1-  
 methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-  
 [methyl(propanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
 (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-  
 c][2,1]benzoxazine-2-carboxylate



(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(1-methylethyl)(propanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2,2-dimethylpropanoyl)(1-methylethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-[(1-methylethyl)((methyloxy)acetyl)amino]ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2-chlorophenyl)methyl](propanoyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(2-chlorophenyl)methyl][(methyloxy)acetyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-5-(2-{acetyl[(2-methylphenyl)methyl]amino}-1-methylethyl)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-methylphenyl)methyl](propanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{[(methyloxy)acetyl][(2-methylphenyl)methyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-{[(4-fluorophenyl)methyl]oxy}piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(4-chlorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3,4-dihydroisoquinolin-2(1H)-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(3,3,3-trifluoropropanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-methylphenyl)methyl](3,3,3-trifluoropropanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(4-methylphenyl)methyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[6-(methyloxy)pyridazin-3-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(6-chloropyrazin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(6-chloropyridin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-phenylpiperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(cyclohexylmethyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(1,3-thiazol-2-yl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3-chloropyridin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-oxo-2-[(phenylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-{2-[[2-(2-chlorophenyl)methyl](methyl)amino]-1-methyl-2-oxoethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-[[2-[(phenylamino)carbonyl]oxy]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(cycloheptylamino)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-chloropyrimidin-4-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(5-chloropyridin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(5-chloropyrazin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-chlorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(4-methylphenyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-chlorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(trifluoromethyl)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[4-(methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[2-(trifluoromethyl)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[4-(trifluoromethyl)pyrimidin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-fluorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(6-methylpyridin-2-yl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-fluorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(1,3-thiazol-2-ylcarbonyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(3-phenylpropyl)oxy]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(phenylmethyl)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(trifluoromethyl)phenyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-{3-(trifluoromethyl)phenyl}methyl)piperazin-1-yl]ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(3-(ethyloxy)carbonyl]phenyl}methyl)oxy]piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(1,3-benzoxazol-2-yl)piperidin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-{3,5-bis(trifluoromethyl)phenyl}methyl)piperazin-1-yl]-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[2-(methyloxy)phenyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(4-fluorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-cyanophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,3-dihydro-1,4-benzodioxin-2-ylcarbonyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-bromophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,4-difluorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(pyridin-4-ylmethyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[5-chloro-2-(methyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,5-dichlorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(2E)-3-phenylprop-2-enyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(diphenylmethyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,3-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-cyclopentylpiperazin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-ethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[4-chloro-3-(trifluoromethyl)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(thien-2-ylcarbonyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-[(butylamino)carbonyl]oxy)piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,4-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,5-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-cyclopropylpiperazin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(cyclopentylcarbonyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[6-(methyloxy)pyridin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,5-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,6-dimethylpyrazin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,6-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[(1S)-1-methyl-2-pyridin-3-ylethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-oxa-9-azabicyclo[3.3.1]non-9-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(4-methylpentanoyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-oxo-1,3,4,6,7,11b-hexahydro-2H-pyrazino[2,1-a]isoquinolin-2-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[3-[(ethyloxy)carbonyl]octahydroisoquinolin-2(1H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[3,5-bis(methyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate



- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-cyanophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-phenylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,4-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[cyclopropyl(propanoyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclopropylcarbonyl)(phenyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclohexylmethyl)(cyclopropylcarbonyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclohexylmethyl)(propanoyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclopropylcarbonyl)(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(phenylcarbonyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[(phenyloxy)acetyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-amino-5-cyano-6-methylpyrimidin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2S,5R)-2,5-dimethyl-4-prop-2-enylpiperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(8-azabicyclo[3.2.1]oct-8-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(3S,8aR)-3-(phenylmethyl)hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3-{[(3,4-difluorophenyl)methyl]oxy}piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3R)-3-(methyloxy)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[1-methyl-6,7-bis(methyloxy)-3,4-dihydroisoquinolin-2(1H)-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

XXX

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(2-methyl-4-piperidin-1-yl-5,8-dihydropyrido[3,4-d]pyrimidin-7(6H)-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-chlorophenyl)-6,7-dihydrothieno[3,2-c]pyridin-5(4H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-{[4-(methyloxy)phenyl]sulfanyl}-8-azabicyclo[3.2.1]oct-8-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{3-[(3-chloropyridin-2-yl)oxy]piperidin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(3-methylquinoxalin-2-yl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-{2-[7-(hydroxymethyl)-3-azabicyclo[3.3.1]non-3-yl]-1-methylethyl}-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3,11-diazatricyclo[7.3.1.0~2,7~]trideca-2,4,6-trien-11-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4,10-diazatricyclo[6.3.1.0~2,7~]dodeca-2,4,6-trien-10-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-5-{2-[(4aR,9aS)-2,3,4,4a,9,9a-hexahydro-1H-indeno[2,1-b]pyridin-1-yl]-1-methylethyl}-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3-cyclohexyl-3-methylpiperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-[2-(4-{2-[(2-hydroxyethyl)oxy]ethyl}piperazin-1-yl)-1-methylethyl]-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methyl-3-pyridin-2-ylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,5-dichloropyridin-4-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3S)-3-methyl-3-phenylpiperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{3-[(4-fluorophenyl)sulfanyl]-8-azabicyclo[3.2.1]oct-8-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(pyridin-2-yl)sulfanyl]methyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{3-[(pyridin-2-yl)sulfanyl]methyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(2-{[methyl(methyloxy)amino]carbonyl}piperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(3,4-dichlorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[2-(2-piperidin-1-ylethyl)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(1-methylethyl)(2-{[2-(methyloxy)phenyl]oxy}ethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(2-phenylcyclopropyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[3-(1,2,4,5-tetrahydro-3H-3-benzazepin-3-yl)propyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[2-(2,6-dichlorophenyl)oxy]ethyl}(methyl)amino]-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[[4-(4-chlorophenyl)methyl](ethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[(3-methylthien-2-yl)methyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3-chloro-4-methylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(diphenylmethyl)(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[5-methyl-2-(methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[2-(ethyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{(2S,4R)-4-methyl-2-[(methyloxy)carbonyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-{2-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]-1-methylethyl}-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3S)-3-(methyloxy)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{2-[(methyloxy)carbonyl]octahydro-1H-indol-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2S)-4-methyl-2-[(methyloxy)carbonyl]-3,6-dihydropyridin-1(2H)-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-[2-(3-hydroxy-8-azabicyclo[3.2.1]oct-8-yl)-1-methylethyl]-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methyl-3-phenylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-((phenylmethyl)[2-(phenyloxy)ethyl]amino)ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-((1R)-1-methyl-2-{4-[4-(trifluoromethyl)-2-pyrimidinyl]-1-piperazinyl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate – TFA salt

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-((1R)-1-methyl-2-{4-[5-(trifluoromethyl)-2-pyridinyl]-1-piperazinyl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate – TFA salt

(1S,2R,5S,8R,8aR)-2-(acetyloxy)-5-((1R)-2-{4-[bis(4-fluorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,5S,8R,8aR)-2-(acetyloxy)-5-((1R)-2-[4-(5-chloropyrimidin-2-yl)piperazin-1-yl]-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-((1R)-2-[4-(5-bromopyrimidin-2-yl)piperazin-1-yl]-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-((1R)-2-[4-(6-chloro-1,3-benzothiazol-2-yl)piperazin-1-yl]-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-((1R)-2-{4-[(3,4-dichlorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-((1R)-1-methyl-2-{4-[5-(trifluoromethyl)pyrimidin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-((1R)-2-{4-[(4-chlorophenyl)oxy]piperidin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

20. A compound of claim 1, selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-2-[(2-methylpropanoyl)oxy]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(hexanoyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2-(acetyloxy)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-methylpropanoyl)oxy]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

5

(1S,2R,4aS,5R,8R,8aR)-2-[(cyclopropylcarbonyl)oxy]-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-[[prop-2-ynyloxy]carbonyl]oxy}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-({[(2,2,2-trichloroethyl)oxy]carbonyl}oxy)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-2-({[(1-methylethenyl)oxy]carbonyl}oxy)-5-(1-methylethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-({[(prop-2-enyloxy)carbonyl]oxy}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

21. A compound of claim 1, selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-1-({[(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-yl]carbonyl}oxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-2-yl methyl butanedioate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-2-(pent-4-enyloxy)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-({[(2-naphthalen-1-ylamino)ethyl]amino}carbonyl)oxy}ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-({[(acetyloxy)acetyl]oxy}-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(formyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate



(1S,2R,4aS,5R,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethenyl)-2-[(3,3,3-trifluoropropanoyl)oxy]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[4-(ethyloxy)-1-methyl-4-oxobut-2-enyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-(2,2-difluoro-1-methylethenyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2-fluoro-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[(1-methyl-2-morpholin-4-ylethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

22. . A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-(2-ethyl-1,3-thiazol-4-yl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2,2-difluoro-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-[2,2-difluoro-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-(2,2-dichloro-1-methylethenyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(phenylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-([(2-chlorophenyl)methyl]amino)-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(furan-2-ylmethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-([(2-methylphenyl)methyl]amino)ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-([(1S)-1-phenylethyl]amino)ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-([(3-chlorophenyl)methyl]amino)-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

23. . A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-([(2-methyloxy)phenyl]methyl)amino]ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-pyridin-2-ylpiperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{bis[2-(methyloxy)ethyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-thien-2-ylethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-([(4-(trifluoromethyl)phenyl]methyl)amino)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(2-{[2-(methyloxy)phenyl]oxy}ethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{(1-methylethyl)[2-(phenylsulfonyl)ethyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2,3-dihydro-1,4-benzodioxin-2-ylmethyl)(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-{[2-(methyloxy)phenyl]methyl}piperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(1,1-dimethylethyl)piperidin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

24. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(phenylmethyl)oxy]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[7,8-bis(methyloxy)-3,4-dihydroisoquinolin-2(1H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(methyl{[4-(methyloxy)phenyl]methyl}amino)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(ethyloxy)carbonyl]-1,4-diazepan-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(phenylmethyl)-1,4-diazepan-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-5-{2-[acetyl(ethyl)amino]-1-methylethyl}-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-5-{2-[acetyl(cyclopropyl)amino]-1-methylethyl}-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{cyclopropyl[(methyloxy)carbonyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{ethyl[(methyloxy)carbonyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(2,5-dichlorophenyl)methyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

25. A compound of claim 1 selected from the group comprising:

5

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{[(3,5-dichlorophenyl)methyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{cyclopropyl[(ethylamino)carbonyl]amino}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(phenylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(phenylmethyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-pyrimidin-2-ylpiperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[2-(phenyloxy)ethyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-thiomorpholin-4-ylethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[cyclohexyl(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(pyridin-2-ylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

26. A compound of claim 1 selected from the group consisting of:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3,6-dihydropyridin-1(2H)-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-[[phenyl(pyridin-3-yl)methyl]amino]ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(2-phenylethyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(1,3-benzodioxol-5-ylmethyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-[(4-chlorophenyl)methyl]oxy)piperidin-1-yl]-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[2-(methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(furan-2-ylmethyl)piperidin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(3-methylphenyl)methyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2,2-dimethylpropanoyl)(ethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

27. A compound of claim 1 selected from the group comprising:

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(propanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(1-methylethyl)(propanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl  
(2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2,2-dimethylpropanoyl)(1-methylethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{(1-methylethyl)[(methyloxy)acetyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2-chlorophenyl)methyl](propanoyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{(2-chlorophenyl)methyl}[(methyloxy)acetyl]amino)-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-5-(2-{acetyl[(2-methylphenyl)methyl]amino}-1-methylethyl)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-methylphenyl)methyl](propanoyl)amino}ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{[(methyloxy)acetyl][(2-methylphenyl)methyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-{[(4-fluorophenyl)methyl]oxy}piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

28. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(4-chlorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3,4-dihydroisoquinolin-2(1H)-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(3,3,3-trifluoropropanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2-methylphenyl)methyl](3,3,3-trifluoropropanoyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(4-methylphenyl)methyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[6-(methoxy)pyridazin-3-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(6-chloropyrazin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(6-chloropyridin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-phenylpiperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

29. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(cyclohexylmethyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(1,3-thiazol-2-yl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate



(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3-chloropyridin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-oxo-2-[(phenylmethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5R,8R,8aR)-2-(acetyloxy)-5-{2-[[2-(2-chlorophenyl)methyl](methyl)amino]-1-methyl-2-oxoethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-8a-hydroxy-3,8-dimethyl-5-(1-methylethyl)-2-{[(phenylamino)carbonyl]oxy}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(cycloheptylamino)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-chloropyrimidin-4-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(5-chloropyridin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(5-chloropyrazin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

30. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-chlorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(4-methylphenyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-chlorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(trifluoromethyl)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[4-(methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[2-(trifluoromethyl)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[4-(trifluoromethyl)pyrimidin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-fluorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(6-methylpyridin-2-yl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-fluorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

31. A compound of claim 1 selected from the group comprising:

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(1,3-thiazol-2-ylcarbonyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(3-phenylpropyl)oxy]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(phenylmethyl)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[3-(trifluoromethyl)phenyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-{[3-(trifluoromethyl)phenyl]methyl}piperazin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(3-(ethyloxy)carbonyl]phenyl)methyl}oxy)piperidin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(1,3-benzoxazol-2-yl)piperidin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-{[3,5-bis(trifluoromethyl)phenyl]methyl}piperazin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

32. A compound of claim 1 selected from the group comprising;

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[2-(methyloxy)phenyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(4-fluorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-cyanophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,3-dihydro-1,4-benzodioxin-2-ylcarbonyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-bromophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,4-difluorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(pyridin-4-ylmethyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[5-chloro-2-(methyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

33. A compound of claim 1 selected from the group comprising:

- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,5-dichlorophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(2E)-3-phenylprop-2-enyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(diphenylmethyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,3-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-cyclopentylpiperazin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-ethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[4-chloro-3-(trifluoromethyl)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(thien-2-ylcarbonyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-{[(butylamino)carbonyl]oxy}piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate
- (1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,4-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

34. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,5-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4-cyclopropylpiperazin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(cyclopentylcarbonyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[(1-methyl-2-{4-[6-(methyloxy)pyridin-2-yl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,5-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,6-dimethylpyrazin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2,6-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[(1S)-1-methyl-2-pyridin-3-ylethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-oxa-9-azabicyclo[3.3.1]non-9-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(4-methylpentanoyl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

35. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-oxo-1,3,4,6,7,11b-hexahydro-2H-pyrazino[2,1-a]isoquinolin-2-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[3-[(ethyloxy)carbonyl]octahydroisoquinolin-2(1H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[3,5-bis(methyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(2-cyanophenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(4-phenylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,4-dimethylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[cyclopropyl(propanoyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclopropylcarbonyl)(phenyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclohexylmethyl)(cyclopropylcarbonyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclohexylmethyl)(propanoyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

36. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(cyclopropylcarbonyl)(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(phenylcarbonyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[(phenyloxy)acetyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-amino-5-cyano-6-methylpyrimidin-2-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(2S,5R)-2,5-dimethyl-4-prop-2-enylpiperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(8-azabicyclo[3.2.1]oct-8-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(3S,8aR)-3-(phenylmethyl)hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3-{[(3,4-difluorophenyl)methyl]oxy}piperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3R)-3-(methyloxy)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate



(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[1-methyl-6,7-bis(methyloxy)-3,4-dihydroisoquinolin-2(1H)-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

37. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(2-methyl-4-piperidin-1-yl)-5,8-dihydropyrido[3,4-d]pyrimidin-7(6H)-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(4-chlorophenyl)-6,7-dihydrothieno[3,2-c]pyridin-5(4H)-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-{[4-(methyloxy)phenyl]sulfanyl}-8-azabicyclo[3.2.1]oct-8-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{3-[(3-chloropyridin-2-yl)oxy]piperidin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[4-(3-methylquinoxalin-2-yl)piperazin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-{2-[7-(hydroxymethyl)-3-azabicyclo[3.3.1]non-3-yl]-1-methylethyl}-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3,11-diazatricyclo[7.3.1.0~2,7~]trideca-2,4,6-trien-11-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(4,10-diazatricyclo[6.3.1.0~2,7~]dodeca-2,4,6-trien-10-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-5-{2-[(4aR,9aS)-2,3,4,4a,9,9a-hexahydro-1H-indeno[2,1-b]pyridin-1-yl]-1-methylethyl}-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

38. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-[2-(3-cyclohexyl-3-methylpiperidin-1-yl)-1-methylethyl]-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-[2-(4-{2-[(2-hydroxyethyl)oxy]ethyl}piperazin-1-yl)-1-methylethyl]-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methyl-3-pyridin-2-ylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3,5-dichloropyridin-4-yl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3S)-3-methyl-3-phenylpiperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{3-[(4-fluorophenyl)sulfanyl]-8-azabicyclo[3.2.1]oct-8-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[(pyridin-2-yl)sulfanyl]methyl}piperidin-1-yl)ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{3-[(pyridin-2-ylsulfanyl)methyl]piperidin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(2-{[methyl(methyloxy)amino]carbonyl}piperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[(3,4-dichlorophenyl)methyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

39. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[2-(2-piperidin-1-ylethyl)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(1-methylethyl)(2-{[2-(methyloxy)phenyl]oxy}ethyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[methyl(2-phenylcyclopropyl)amino]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[3-(1,2,4,5-tetrahydro-3H-3-benzazepin-3-yl)propyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[2-[(2,6-dichlorophenyl)oxy]ethyl](methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[[4-chlorophenyl)methyl](ethyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{methyl[(3-methylthien-2-yl)methyl]amino}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[4-(3-chloro-4-methylphenyl)piperazin-1-yl]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-{2-[(diphenylmethyl)(methyl)amino]-1-methylethyl}-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{4-[5-methyl-2-(methyloxy)phenyl]piperazin-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

40. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[2-(ethyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-[(2S,4R)-4-methyl-2-[(methyloxy)carbonyl]piperidin-1-yl]ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-{2-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]-1-methylethyl}-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3S)-3-(methyloxy)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{2-[(methyloxy)carbonyl]octahydro-1H-indol-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2S)-4-methyl-2-[(methyloxy)carbonyl]-3,6-dihydropyridin-1(2H)-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-[2-(3-hydroxy-8-azabicyclo[3.2.1]oct-8-yl)-1-methylethyl]-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methyl-3-phenylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-((phenylmethyl)[2-(phenyloxy)ethyl]amino)ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-((1R)-1-methyl-2-{4-(trifluoromethyl)-2-pyrimidinyl}-1-piperazinyl)ethyl)-1,2,4a,5,6,7,8,8a-octahydro-1-naphthalenyl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate – TFA salt

41. A compound of claim 1 selected from the group comprising:

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-5-(2-{4-[2-(ethyloxy)phenyl]piperazin-1-yl}-1-methylethyl)-8a-hydroxy-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-((2S,4R)-4-methyl-2-[(methyloxy)carbonyl]piperidin-1-yl)ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-{2-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]-1-methylethyl}-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(3S)-3-(methyloxy)piperidin-1-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-{2-[(methyloxy)carbonyl]octahydro-1H-indol-1-yl}ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-{1-methyl-2-[(2S)-4-methyl-2-[(methyloxy)carbonyl]-3,6-dihydropyridin-1(2H)-yl]ethyl}-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-5-[2-(3-hydroxy-8-azabicyclo[3.2.1]oct-8-yl)-1-methylethyl]-3,8-dimethyl-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-[1-methyl-2-(3-methyl-3-phenylpiperidin-1-yl)ethyl]-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate

(1S,2R,4aS,5S,8R,8aR)-2-(acetyloxy)-8a-hydroxy-3,8-dimethyl-5-(1-methyl-2-[(phenylmethyl)[2-(phenyloxy)ethyl]amino]ethyl)-1,2,4a,5,6,7,8,8a-octahydronaphthalen-1-yl (2S,3aR,9bR)-6-chloro-9b-hydroxy-5-methyl-1,2,3,3a,5,9b-hexahydropyrrolo[2,3-c][2,1]benzoxazine-2-carboxylate